



Stainless Frame




Integrated Frame



Integrated Solid

Additional Options

- Stainless lock model available



Stainless
Lock Model

Key Features

- Convection cooling system provides a quick cool down and consistent temperature
- Extended lower interior maximizes storage options
- Black interior
- LowE coated, argon gas filled, dual thermopane glass door provides protection from harmful UV Light
- Stainless steel full-wrap door and handle (7/8" diameter)
- Stainless steel grille (stainless model), black metal grille (integrated models)
- Two, three-quarter extension, black wine racks
- Two adjustable tempered glass shelves
- Digital touch pad control
- Temperature range: 34°F to 60°F
- Bright white LED lighting
- Volume of 5.5 cu ft holds up to 16 wine bottles (750 ml), and 85 bottles (12 oz) or 105 cans (12 oz)
- Integrated model requires 3/4" custom door panel and handle (not supplied by U-Line)
- Field reversible door is shipped right-hand hinged
- Built-in or freestanding
- Four adjustable leveling legs

Model Details

Model	Voltage/Hz	Door Swing	Finish	Shipping Weight
UHBV124-SG01A	115 / 60	Field Reversible	Stainless Frame	120 lb
UHBV124-SG31A	115 / 60	Field Reversible	Stainless Frame (Lock)	120 lb
UHBV124-IG01A	115 / 60	Field Reversible	Integrated Frame	115 lb
UHBV124-IS01A	115 / 60	Field Reversible	Integrated Solid	105 lb

Accessories

Model	Description	Finish	Shipping Weight
ULAFREESTANDB	Freestanding Kit	Black	3 lb

Integrated Panel Dimensions

INTEGRATED PANEL

NOTICE

Due to differences in surrounding cabinetry the panel may not perfectly align with door. The procedure below is designed to provide a finished integrated panel that seamlessly integrates with surrounding cabinetry.

The door panel must not weigh more than 20 lbs (10 kg).

It is important to ensure that all drilled holes are drilled to the correct depth in order to avoid splits in the wood when hardware is installed.

When applying an integrated panel to a unit, ensure that both sides are finished in order to prevent warping. In some panel installations, the panel may be visible through the glass while the door is open.

A full integrated door panel completely covers the door frame and provides a built-in appearance.


Integrated Panel Preparation

1. Cut the panels to the dimensions listed in the diagram below.

2. Optional: Stain or Finish panel to desired stain or color. Be sure to closely follow the instructions provided by the manufacturer.

3. Optional: Install handles and hardware.

Integrated Panel Dimensions



LG LAUNDRY

WM6500H_A

5.0 cu. ft. Mega Capacity Smart Front Load Energy Star
Washer with TurboWash® 360° and AI DD® Built-In Intelligence

5.0 cu. ft. Mega Capacity
Digital Dial Control with LCD Display & Touch Button Control Panel
TurboWash® 360° Technology
AI DD®: AI Fabric and Weight Sensors with Smart Pairing
LG ThinQ® Technology with ThinQ Care
Allergiene® Cycle
Cold Wash Technology
NeveRust® Stainless Steel Drum
ENERGY STAR® Certified & ENERGY STAR Most Efficient
Direct Drive Motor 10-Year Limited Warranty

AVAILABLE COLORS



Proactive Smart Alerts to Keep
Your Appliances Running Smoothly



- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.



SUMMARY		WASH DETAILS		MOTOR AND AGITATOR	
Type	Front Load Washer	No. of Wash/Rinse Temps	5	Motor Type	Inverter Direct Drive Motor
Capacity (cu. ft.)	5.0 cu. ft.	Wash/Rinse Temps	Ex. Hot, Hot, Warm, Cold, Tap Cold	Axis	Horizontal
Matching Electric Dryer	DLEX6500B / DLEX6500W	No. of Spin Speeds	5	MATERIALS AND FINISHES	
Matching Gas Dryer	DLGX6501B / DLGX6501W	Spin Speeds	Ex. High, High, Medium, Low, No Spin	NeveRust® Stainless Steel Drum	Yes
Color	Black Steel (B), White (W)	Max RPM	1300	Cabinet	Painted Steel
APPEARANCE		Water Levels	Load Sensing	Control Panel	Painted Steel
LCD Display	Yes	No. of Soil Levels	5	Top Plate	Painted Steel
Touch Buttons	Yes	FABRIC CARE FEATURES		Door / Rim	Glass / Shiny Rose Gold
Dial-A-Cycle®	Yes	AI DD®	Yes	Door Cover	Tempered Glass Door
ENERGY		TurboWash® 360 Technology	Yes	All Available Colors	Black Steel (B), White (W)
ENERGY STAR® Most Efficient	Yes	Steam Technology	Yes	CERTIFICATION	
ENERGY STAR® Certified	Yes	Allergiene® Cycle	Yes	AAFA	Yes
CEE Tier	Tier2	Sanitary Cycle	Yes	POWER SOURCE	
IMEF	2.92	Cold Wash Option	Yes	Ratings	UL Listed
IWF	3.0	CONVENIENCE FEATURES		Electrical Requirements	120V, 10 Amps
WASH PROGRAMS		Vibration Sensing (Cabinet Vibration Sensor)	Yes	Type	Electric
No. of Programs	25	TrueBalance® Anti-Vibration System	Yes	OPTIONS/ACCESSORIES	
Wash Programs	Normal, AI Wash, Bedding, Delicates, Towels, Quick Wash, Heavy Duty, Allergiene®, Perm. Press, Tub Clean, Bright Whites™, Sanitary, Rinse+Spin, Spin Only, Hand/Wool, Active Wear, Swimwear, Kids Wear, Jeans, Dresses, Color Care, Sweat Stains, Small Load, Large Load, X Large Load	4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener	Pedestal	WDP6B, WDP6W
		End of Cycle Signal	Yes	Pedestal (WxHxD)	27" x 13 5/8" x 25 3/8" (43 7/8" D with door open)
		LoadSense	Yes	LG Sidekick™ Pedestal Washer	WD300CB, WD300CW
		Control Lock	Yes	LG Sidekick™ Pedestal Washer (WxHxD)	27" x 14 1/8" x 30 3/4" (50 1/2 with drawer open)
		Auto Suds Removal	Yes	Stacking Kit	KSTK4
		Leveling Legs	4 Adjustable Legs	DIMENSIONS	
No. of Options	15	Drum Light	Yes	Product (WxHxD)	27" x 39" x 33 1/8"
Options	TurboWash®, Steam, Fresh Care, Pre-wash, Remote Start, Delay Wash, Wi-Fi, Add Item, Extra Rinse, Control Lock, Drum Light, ColdWash, Signal, Cycle List Edit, Cycle Optimization	ThinQ® TECHNOLOGY		Depth with Door Open	57 3/4"
		Smart Diagnosis	Yes	Carton (WxHxD)	29 1/2" x 42 1/8" x 34 1/4"
		Wi-Fi	Yes	Weight (Product/Carton)	202.6 / 216.5 lbs.
		ThinQ Care	Yes	LIMITED WARRANTY	
		Energy Monitoring	Yes	Parts and Labor	1 Year
		Tub Clean Coach	Yes	Direct Drive Motor	10 Years
				Drum	3 Years
				UPC CODES	
				WM6500HBA (Black)	195174052921
				WM6500HWA (White)	195174048689




LG LAUNDRY

DLHC5502_

7.8 cu. ft. Mega Capacity Smart Front Load Dryer with Dual Inverter HeatPump™ Technology and Inverter Direct Drive Motor System

- 7.8 cu. ft. Mega Capacity
- Sleek Ventless Design
- LCD Digital Dial Control
- Dual Inverter Heat Pump™ Technology & Inverter Direct Drive Motor System
- Built-In Intelligence: AI Sensor Dry with Infrared Sensor
- ThinQ® Smart Technology & ThinQ UP™ & ThinQ Care™
- Auto Cleaning Condenser™
- ENERGY STAR® Most Efficient
- Closet Depth
- NeveRust® Stainless Steel Drum
- LoDecibel® Quiet Operation
- Wrinkle Care Option
- 3-Stage Lint Filter

AVAILABLE COLORS

-  GRAPHITE STEEL
-  WHITE
-  BLACK STEEL



SUMMARY	
Dryer Type	Electric
Direct Drive Motor	Yes
Type	Front Load Dryer
Vent Type	Ventless
Capacity	7.8 cu.ft
Sensor Dry	Yes
APPEARANCE	
LCD Display	Yes
Dial-A-Cycle®	Yes
Touch Buttons	Yes
Colors	Graphite Steel (V), White (W), Black Steel (B)
DRYER PROGRAMS	
No. of Programs	23
Dry Programs	Normal, AI Dry, Bedding, Small Load, Delicates, Bedding Refresh, Power Dry, Down Jacket Refresh, Timed Dry, Drum Care, Towels, Perm. Press, Activewear, Quick Dry, Outerwear Refresh, Shrinkage Relief, Silent Dry, Rainy Days, Heavy Duty, Easy Ironing, Air Dry, Condenser Care, Downloaded
No. of Options	11
Options	Wrinkle Care, Control Lock, Wi-Fi, Remote Start, Drum Light, Signal, Damp Signal, Cycle List Edit, Cycle Optimization, Smart Diagnosis, Reset Settings
Temperature Settings	No
Drying Levels	Very, More, Normal, Less, Damp
Dry Mode	Normal, Energy, Speed
Manual Dry Times	30 min - 180 min

FABRIC CARE FEATURES	
AI Sensor Dry	Yes
Sensor Dry 2.0 with IR Sensor	Yes
Precise Temperature Control with Variable Heater	No
Precise Temperature Control with Variable Compressor	Yes
6 Motion Dry	Yes
Steam	No
CONVENIENCE FEATURES	
End of Cycle Signal	Yes
Drum Light (Door Open)	Yes
Reversible Door	No
Wrinkle Care Option	Yes
Control Lock	Yes
4 Adjustable Legs	Yes
Remaining Time Display / Status Indicator(s)	Yes
Auto Cleaning Condensor	Yes
ThinQ® TECHNOLOGY	
Smart Diagnosis	Yes
Wi-Fi	Yes
ThinQ Care	Yes
ThinQ Up	Yes
Remote Start and Cycle Monitor	Yes
Energy Monitoring	Yes
ENERGY	
ENERGY STAR® Certified	Yes
ENERGY STAR® Most Efficient	Yes
CEF	Electric: 3.94 / Gas: 3.49

MATERIALS AND FINISHES	
NeveRust® Stainless Steel Drum	Yes
Cabinet	Painted Steel
Door	Tempered Glass Door
All Available Colors	Graphite Steel(V), White (W), Black Steel(B)
POWER SOURCE	
Ratings	CSA Listed
Type	Heat Pump
Electrical Requirements	240V, 830W or 208V, 820W 15 Amp Circuit
OPTIONS	
Stacking Kit	HSTK1B
Pet Care Kit	PETK1W
Pedestal	WPD6V, WDP6W, WDP6B
Pedestal (WxHxD)	27" x 13 5/8" x 28" (43 7/8" D with door open)
Sealing Cover(Cap cover)	Yes
DIMENSIONS	
Product (WxHxD)	27" x 39" x 32 1/4"
Depth with Door Open	52 3/4"
Carton (WxHxD)	30 1/6" x 42 3/4" x 33 9/16"
Product Weight (lbs.)	165.5 lbs..
Carton Weight (lbs.)	172.0 lbs.
LIMITED WARRANTY	
Parts & Labor	1 Year
Drum	3 Years
Direct Drive Motor	10 Years
Inverter Compressor	10 Years
UPC CODES	
DLHC5502V (Graphite Steel)	195174061640
DLHC5502B (Black Steel)	195174069981
DLHC5502W (White)	195174061657



Unbranded Model: 8212526

Washer Drip Tray

Color Other

Product Description

This Washer Drip Trap is large enough for duet washers and sits under the washer to protect your floors from scuffs and small leaks, reducing the amount of water damage from broken hoses. Includes a PVC drain fitting. This is an accessory that can be used with several brands; check to see if your model number is compatible. Installing this accessory will require basic hand tools and novice installation experience. Remember to unplug the washer or shut off the house circuit breaker before installing this part. You should also shut off the washer's hot and cold water supply before replacing this part. We also recommend using affresh® Washing Machine Cleaner (item W10501250) once a month to help reduce odor-causing residue that can build up in your washing machine's drain without proper care. *affresh® brand products are owned and distributed by Whirlpool Corporation.

Specifications

Details

This Part is a Replacement	W10833075
-----------------------------------	------------------

Dimensions

Gross Weight	6-27/100
Net Weight	6-27/100

Certifications

Prop 65	 CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
----------------	---

Key Features

Whirlpool Genuine OEM Parts & Accessories are
This product is a Factory Certified
Package contains (1) Washer Drip Tray
Accessory 8212526 replaces 1201080,
Compatible with Duet washer models
No tools required for installation
30-Day Return Policy
30 Day Return Policy
Constructed of durable white plastic
Protects the floor under your washer from
For over 100 years, Whirlpool has cared for

UPC Listing

Model : 8212526	UPC : 883049038292
-----------------	--------------------

CL4850UFD/O



FEATURES

Split Climate® intelligent cooling system revolutionizes Sub-Zero's already-superior preservation capabilities, keeping food even fresher for longer

ClearSight™ LED lighting system fully illuminates the interior and reduces shadows

Sleek stainless accents trim the interior, matching the sophistication of the exterior

Touch control panel is conveniently located for easy access at the tap of a finger

Night Mode optimizes the interior lighting based on the detected ambient light, reducing the brightness by 90% in dim environments

Lift the base of the flip-up dairy compartment to store taller items on the shelf below

Activate Max Ice Mode to temporarily increase ice production

Wi-Fi enabled for convenient remote access using your mobile device or smart home system

Position adjustable door bins at various heights to accommodate assorted items

Sub-Zero offers an industry-leading full two-year warranty on appliances, along with a full five-year sealed system warranty

ACCESSORIES

90° Door Stop

Air Purification Cartridge

Custom Front Panel Mounting Kit

Custom Side Panel Mounting Kit

Egg Container

Grille Frame - 84"

Pro Handle

Stainless Steel Flush Inset Grille Panel

Stainless Steel Side Panel

Tubular Handle

Water Filter

Stainless Steel Flush Inset Door and Drawer Panels with Pro Handle

Stainless Steel Flush Inset Door and Drawer Panels with Tubular Handle

Classic Stainless Steel Pro Louvered Grilles

Stainless Steel Pro Handles


Stainless Steel Tubular Handles

Stainless Steel Kickplate

Accessories are available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.



HANDLE ACCESSORIES



PRODUCT DETAILS

REFRIGERATOR

- 7 glass refrigerator shelves (6 adjustable; 1 stationary)
- 4 crisper drawers with removable dividers
- 6 refrigerator door bins (4 adjustable; 2 stationary)
- 1 flip-up dairy compartment
- Air purification system
- LED refrigerator and freezer lights

FREEZER

- Full-extension drawer
- Water filtration system
- Automatic ice maker with removable ice container

CL4850UFD/O



FEATURES

Split Climate® intelligent cooling system revolutionizes Sub-Zero's already-superior preservation capabilities, keeping food even fresher for longer

ClearSight™ LED lighting system fully illuminates the interior and reduces shadows

Sleek stainless accents trim the interior, matching the sophistication of the exterior

Touch control panel is conveniently located for easy access at the tap of a finger

Night Mode optimizes the interior lighting based on the detected ambient light, reducing the brightness by 90% in dim environments

Lift the base of the flip-up dairy compartment to store taller items on the shelf below

Activate Max Ice Mode to temporarily increase ice production

Wi-Fi enabled for convenient remote access using your mobile device or smart home system

Position adjustable door bins at various heights to accommodate assorted items

Sub-Zero offers an industry-leading full two-year warranty on appliances, along with a full five-year sealed system warranty

ACCESSORIES

90° Door Stop

Air Purification Cartridge

Custom Front Panel Mounting Kit

Custom Side Panel Mounting Kit

Egg Container

Grille Frame - 84"

Pro Handle

Stainless Steel Flush Inset Grille Panel

Stainless Steel Side Panel

Tubular Handle

Water Filter

Stainless Steel Flush Inset Door and Drawer Panels with Pro Handle

Stainless Steel Flush Inset Door and Drawer Panels with Tubular Handle

Classic Stainless Steel Pro Louvered Grilles

Stainless Steel Pro Handles


Stainless Steel Tubular Handles

Stainless Steel Kickplate

Accessories are available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.



HANDLE ACCESSORIES



PRODUCT DETAILS

REFRIGERATOR


- 7 glass refrigerator shelves (6 adjustable; 1 stationary)
- 4 crisper drawers with removable dividers
- 6 refrigerator door bins (4 adjustable; 2 stationary)
- 1 flip-up dairy compartment
- Air purification system
- LED refrigerator and freezer lights

FREEZER

- Full-extension drawer
- Water filtration system
- Automatic ice maker with removable ice container

Panel Specifications


Single Model: CL4850UFD/O



PANEL	FRONT	SPACER	BACKER	MAX WEIGHT
Door (2)	$24 \frac{3}{8}"$ <small>W</small> $50 \frac{5}{8}"$ <small>H</small>	$23"$ <small>W</small> $49 \frac{13}{16}"$ <small>H</small>	$23 \frac{5}{8}"$ <small>W</small> $50 \frac{7}{16}"$ <small>H</small>	50 lbs
Drawer	$49"$ <small>W</small> $20"$ <small>H</small>	$47 \frac{1}{8}"$ <small>W</small> $19 \frac{1}{16}"$ <small>H</small>	$47 \frac{3}{4}"$ <small>W</small> $19 \frac{11}{16}"$ <small>H</small>	50 lbs
Grille	$49"$ <small>W</small> $7 \frac{3}{4}"$ <small>H</small>	$47 \frac{1}{8}"$ <small>W</small> $6 \frac{13}{16}"$ <small>H</small>	$47 \frac{3}{4}"$ <small>W</small> $7 \frac{7}{16}"$ <small>H</small>	13 lbs

Panel Specifications

Single Model: CL4850UFD/O



PANEL	FRONT	SPACER	BACKER	MAX WEIGHT
Door (2)	$23 \frac{7}{8}"$ <small>W</small> $50 \frac{5}{8}"$ <small>H</small>	$23"$ <small>W</small> $49 \frac{13}{16}"$ <small>H</small>	$23 \frac{5}{8}"$ <small>W</small> $50 \frac{7}{16}"$ <small>H</small>	50 lbs
Drawer	$48"$ <small>W</small> $20"$ <small>H</small>	$47 \frac{1}{8}"$ <small>W</small> $19 \frac{1}{16}"$ <small>H</small>	$47 \frac{3}{4}"$ <small>W</small> $19 \frac{11}{16}"$ <small>H</small>	50 lbs
Grille	$48"$ <small>W</small> $7 \frac{3}{4}"$ <small>H</small>	$47 \frac{1}{8}"$ <small>W</small> $6 \frac{13}{16}"$ <small>H</small>	$47 \frac{3}{4}"$ <small>W</small> $7 \frac{7}{16}"$ <small>H</small>	13 lbs

GR488



FEATURES

Control temperature precisely with 8 dual-stacked, sealed gas burners for higher highs, lower lows

Enjoy quicker heat and more even cooking with this large capacity gas convection oven

Multi-task with an additional 18" oven.

Clean up sloshes and spills easily with the seamless, sealed, black porcelain-coated burner pans

Produce crisper crusts and faster sears with the powerful infrared interior broiler

Re-ignites flame automatically with our spark ignition system for improved temperature control and added safety

Move pots and pans easily across continuous cast-iron grates

Find your kitchen style with a choice of iconic red, black, or brushed stainless control knobs

ACCESSORIES

18" Full-Extension Oven Rack

2-Burner Wok Grate

2-Burner Wok Grate

Bake Stone Kit

Filler Trim (2-pc)

Front Leg Covers

Full-Extension Ball Bearing Rack

Stainless Steel Kickplate

Brushed stainless, brass or chrome bezels

High altitude conversion kits available

Signature red, black or brushed stainless control knobs

5" and 10" stainless steel risers, and 20" riser with shelf


Accessories available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.



KNOB OPTIONS



TOP CONFIGURATION



RANGETOP SPECIFICATIONS

- 1 - 9,200 Btu burner
- 7 - 15,000 Btu burners

OVEN INTERIOR SPECIFICATIONS

- 30,000 Btu oven burner
- 18,000 Btu oven broiler

MD24TE/S

FEATURES

Utilize 950 watts of power to cook meals with delicious results

Select from 10 power levels, a warming mode, and sensor cooking

Let the microwave do the cooking with intuitive Gourmet Mode settings

Fits a 9x13 pan and up to a 7" tall glass or dish for additional cooking flexibility

Install into surrounding cabinetry to coordinate with other Wolf built-in ovens and warming drawers

Installs can be lowered due to control panel lock providing extra safety

ACCESSORIES

Flush Inset Vent

Accessories available through an authorized dealer.

For local dealer information, visit subzero-wolf.com/locator.



MD24TE/S

FEATURES

Utilize 950 watts of power to cook meals with delicious results

Select from 10 power levels, a warming mode, and sensor cooking

Let the microwave do the cooking with intuitive Gourmet Mode settings

Fits a 9x13 pan and up to a 7" tall glass or dish for additional cooking flexibility

Install into surrounding cabinetry to coordinate with other Wolf built-in ovens and warming drawers

Installs can be lowered due to control panel lock providing extra safety

ACCESSORIES

Flush Inset Vent

Accessories available through an authorized dealer.

For local dealer information, visit subzero-wolf.com/locator.



DW2450

FEATURES

Adapts easily to differently shaped dishes and glasses with a height-adjustable middle rack and fold-down tines

Removes food and grease with three powerful spray arms and custom wash and dry options for different soil levels

Filters food efficiently through fine mesh for cleaner water throughout every cycle

Dries every type of dish, utensil, and pan thoroughly with a hot rinse and fan-assist

Operates in near silence that never interrupts

Opt for a stainless-steel panel for a timeless, sophisticated look that coordinates with classic Wolf and Sub-Zero styles

Or, choose custom panels to integrate into any kitchen design

Provides better visibility with interior LED lights

Maintains clean lines with sleek control panel and floor status light

Marvel at the durability of the stainless-steel exterior and interior, built for decades of use

Monitor cycle progress, even start a new cycle, remotely. Receive alerts when rinse aid is low

Cove's leak protection system offers peace of mind in the rare event of a leak. A conductivity sensor in the base of the unit will automatically stop a cycle in progress if it detects a leak

ACCESSORIES

4" Stainless Kickplate - 24" Opening

4" Stainless Kickplate - 60cm Opening

Pro Handle Kit

Tubular Handle Kit


24" Stainless Steel Door Panel Kits

60cm Stainless Steel Door Panel Kits

Accessories are available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.



HANDLE ACCESSORIES



PRODUCT DETAILS

DISHWASHER

- 4 LED lights (2 sides; 2 top)
- 43 spray jets across 3 spray arms
- Four-stage, fine mesh filter
- Adjustable stemware rail
- Adjustable cup shelf
- Height-adjustable middle rack
- Easy-glide bottom rack
- Upper silverware rack
- One large utensil basket

DW2450

FEATURES

Adapts easily to differently shaped dishes and glasses with a height-adjustable middle rack and fold-down tines

Removes food and grease with three powerful spray arms and custom wash and dry options for different soil levels

Filters food efficiently through fine mesh for cleaner water throughout every cycle

Dries every type of dish, utensil, and pan thoroughly with a hot rinse and fan-assist

Operates in near silence that never interrupts

Opt for a stainless-steel panel for a timeless, sophisticated look that coordinates with classic Wolf and Sub-Zero styles

Or, choose custom panels to integrate into any kitchen design

Provides better visibility with interior LED lights

Maintains clean lines with sleek control panel and floor status light

Marvel at the durability of the stainless-steel exterior and interior, built for decades of use

Monitor cycle progress, even start a new cycle, remotely. Receive alerts when rinse aid is low

Cove's leak protection system offers peace of mind in the rare event of a leak. A conductivity sensor in the base of the unit will automatically stop a cycle in progress if it detects a leak

ACCESSORIES

4" Stainless Kickplate - 24" Opening

4" Stainless Kickplate - 60cm Opening

Pro Handle Kit

Tubular Handle Kit


24" Stainless Steel Door Panel Kits

60cm Stainless Steel Door Panel Kits

Accessories are available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.



HANDLE ACCESSORIES



PRODUCT DETAILS

DISHWASHER

- 4 LED lights (2 sides; 2 top)
- 43 spray jets across 3 spray arms
- Four-stage, fine mesh filter
- Adjustable stemware rail
- Adjustable cup shelf
- Height-adjustable middle rack
- Easy-glide bottom rack
- Upper silverware rack
- One large utensil basket

PL461912

FEATURES

Breathe cleaner air and enjoy less greasy residue in your kitchen

Pair with pro power for custom vent needs

Conceal the ventilation with custom cabinetry

Adjust as needed with recessed controls that provide a sleeker look, yet maintain ultimate blower control

Matches the same heavy-duty stainless-steel construction, hand-finished hemmed edges, and welded seams of all Sub-Zero, Wolf, and Cove products

Select from internal, in-line, or remote blower options (blower required)

Illuminates your cooking area with LED lighting with two brightness settings

Rely on a heat sentry that automatically turns on the blower or increases its speed when exhaust temperatures exceed 200 degrees Fahrenheit

Minimizes the backward flow of cold air with backdraft transition

ACCESSORIES

Make-Up Air Damper

Inline Blowers

Internal Blowers

Remote Blowers

Accessories available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.



BLOWER OPTIONS

- 300 CFM Internal
- 400 CFM Internal
- 600 CFM Internal
- 800 CFM Internal
- 1200 CFM Internal
- 600 CFM Inline
- 1100 CFM Inline
- 600 CFM Remote
- 900 CFM Remote
- 1500 CFM Remote